



Instructions by Monster Shop (UK)

30L Industrial Vacuum

This guide provides step-by-step instructions for assembling, operating, and maintaining your MAXBLAST 30L Industrial Vacuum.

Product Information
30L Industrial Vacuum



Description

The MAXBLAST 30L Industrial Vacuum is built for demanding cleaning tasks in warehouses, workshops, and commercial spaces. Powered by a 1400W motor, it efficiently handles both wet and dry materials.

It comes with four attachments, including two floor brushes, a bristle nozzle, and a crevice tool, making it suitable for a wide range of surfaces. The dual filtration system ensures reliable performance and cleaner air output.

A durable stainless steel drum, 30-litre capacity, and smooth castor wheels make it easy to use, empty, and manoeuvre—ideal for keeping large areas clean with minimal effort.

Product specifications

Technical Information

Voltage	230 / 50 Hz
Power	1400 W
Amperage	10 A
Noise Level	80 dB
Filter	Cloth and HEPA Filter



SKU	Dimensions 36 x 35.7 x 66 cm	
10681		
Weight	Capacity	
9Kg	30L	

Product Features



- 1. Vacuum Attachment
- 2. Pedestal
- 3. Stainless Steel Drum
- 4. Vacuum Hose
- 5. Handle
- 6. Power Switch
- 7. Drain Hose
- 8. Wheel

Parts

HEPA Filter	1	Dust Bag	1
Cloth Filter	1	Wet Floor Attachment	1
Bristle Attachment	1	Crevice Nozzle Attachment	1
Dry Floor Attachment	1		



Operation Instructions

1. Step One

Insert the hose connector into the air inlet mouth. Make sure the connector is securely fastened.

2. Step Two

Check the dual filter is in place for dry vacuuming. If you are wet vacuuming, remove everything from the drum. Place the power cord right at the back of the drum when in use. If you wish, before dry vacuuming, you can add the dust bag.

3. Step Three









Attach desired vacuum nozzle.

4. Step Four

Switch on at mains, and press 'On' button to power up.



Cleaning Care

1. Drum Cleaning

If you have noticed the suction has decreased, the drum is full. To empty:

- 1. First you need to switch off at the power supply.
- 2. Unfasten the locking knob and lift off the top cover.
- 3. Take off the filter bag and clean the dust away from the drum.
- 4. When empty, replace the clean filter bag and lock the top cover back into place.

2. Dual Filter Cleaning



The Cloth Filter and HEPA Filter should be washed with warm water. If required, you can use a soft cloth to wipe.

Remove the filter before cleaning and allow to dry before reinstalling.

Note: The Dust Bag should not be washed, please ensure you are washing the Dual Filter, not the Dust Bag.

30L Industrial Vacuum



Troubleshooting

1. Resolution Guide

Please read through the guide below if you have any issues or faults with your device. The information covers and resolves the majority of frequently asked questions.

Q: The vacuum has lost suction.

A: Ensure the vacuum is empty, the filter is clean and there are no blockages in the hose/attachment.

Q: There are parts missing from my order.

A: If there appears to be any part missing from your package contact our Customer Support team within 7 days of receipt. Details are on the Contact Us page.

Q: My industrial vacuum will not start.

A: Check the plug is attached to a power supply and the drum is empty. Check the fuse in the plug. When checking the fuse, ensure the vacuum is switched off at the mains. If it still will not start, simply call or email our Support Team. They will guide you through issues or arrange a date and time for us to collect the product and fix it with our 12 month guarantee.

Q: My hose attachment isn't working properly.

A: This is most likely a broken belt. To replace, unscrew the cover plate behind your vacuum's brush and see the condition of the belt. If it looks damaged, just place one end into the drive shaft and the other on the brush's grooves. Place back the brush and turn it a few times to check if you have replaced it properly.



Instructions by Monster Shop (UK)

30L Industrial Vacuum